

# VACCINATION SCHEDULE

## 2021-2022

		Babies					Children and adolescents				Adults		
		8 weeks (2 months)	12 weeks (3 months)	16 weeks (4 months)	12 months	15 months <sup>①</sup>	5-6 years	7-8 years <sup>②</sup>	13-14 years	15-16 years	Pregnant women	Every 10 years	65 years
Polio	6 in 1 vaccine	✓	✓	✓	✓	✓							
Diphtheria							✓			✓	✓	✓	
Tetanus							✓			✓	✓	✓	
Pertussis (whooping cough)										✓	✓	✓	
<i>Haemophilus influenzae</i> type b (Hib)										✓	✓	✓	
Hepatitis B	MMR				✓		✓						
Measles													
Mumps													
Rubella													
Meningitis C					✓								
Pneumococcal vaccine		✓	✓ <sup>①</sup>	✓	✓							✓	
Rotavirus vaccine (oral)		✓	✓	✓ <sup>③</sup>									
Papillomavirus (HPV)							✓	✓ <sup>④</sup>					
Flu vaccine (Influenza)										✓ <sup>⑥</sup>		✓	



Recommended for all and free of charge



Recommended for all



Combination vaccine (single injection)



<sup>①</sup> Preterm (premature) infants born at < 37 weeks gestation require an extra dose of pneumococcal vaccine at 3 months of life and vaccines planned at 15 months should be advanced to 13 months of age.



<sup>②</sup> Since September 2020, the second dose of MMR vaccine is administered at 7-8 years of age. Older children can still receive this vaccine at 11-12 years of age for the time being.



<sup>③</sup> Either 2 or 3 doses, depending on vaccine product administered.



<sup>④</sup> A 2 dose schedule 6 months apart (minimum 5 months interval).



<sup>⑤</sup> Ideally from 24 to 32 weeks of pregnancy.



<sup>⑥</sup> During flu season, whatever stage of pregnancy they are at.

This schedule may change over time.

Talk to your physician, he may have to adapt this schedule to your child's needs.

For more information, talk to your physician or go to the site [www.vaccination-info.be](http://www.vaccination-info.be) (in french)

